

Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

FILTOO SIG 230 / BGIA (1125-8459706)



Control type konventionell

Machine no. 1125-8459706

Make FILTOO

Location Ahaus

Description:

The filtoo filter device newly developed by TEKA is a mobile filter system that many

Tasks in the field of filtration of

Smoking, dusts and gases can be used.

Also suitable for high-alloy steels (stainless steel).

(the device was based on DIN EN ISO 15012-1 (2005)

tested and is IFA (formerly BGIA) certified (IFA No. 201020469/1140)

for welding smoke class "W3" (degree of separation: 99.9%))

Where can the SIG 230 filtoo be used?

- at welding workplaces
- in the workshop area
- for soldering applications
- with restorers
- in locksmiths

Furnishing:

- BGIA - certified suction and filter system

IFA 1005030 for suction

to hochleg. Steels & non-ferrous metals

- Operating instructions in German

optional equipment for a surcharge (recommended)

- Retrofit kit STAVO (dust pre-separation)
- for FILTOO with spark protection and collecting tray

Note:

- The device is only used to extract dry dust / smoke
- Read the operating instructions before using for the first time

Machine attributes

volume capacity: 1600 m3/h feed volume: 99,9 %

length: 3.000 Absaugschlauch mm

 motor:
 230 Volt

 motor:
 1,1 KW

 weight:
 80,0 kg

range L-W-H: 580 x 580 x 900 mm

Machine images







Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de **Spelle**Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de





