


FINKEN VH 6-500 (1125-8531720)



Control type
 konventionell

Machine no.
 1125-8531720

Make
 FINKEN

Location
 48683 Ahaus

Furnishing :

- for the horizontal transport of smooth, dry and airtight panels
- Robust supporting structure made of steel
- Painted in RAL 2000 with low weight
- Galvanized longitudinal beam with a length of 2,400 mm
- 3x galvanized crossbeams with a length of 1,000 mm
- 6x springy, articulated and adjustable suction cup holders
- 6x suction cups Ø 215 mm
- Low-maintenance, very high-quality, dry-running rotary vane vacuum pump
- with a suction capacity of 8 m³/h and a final vacuum of 85% (150 mbar)
- 3 phases 230/400 V + PE, 50 Hz, with cable (approx. 0.5 m long)
- Operating handle can be extended to 1,000 mm from the center of the traverse
- Sturdy metal case for your crane control
- Operation "suction / release" by hand slide valve
- Control and safety device for vacuum lifters
- * Robust control box.
- * Contactor circuit for the vacuum pump
- * Safety warning device with audible alarm



- * Vacuum gauge with danger zone indicator
- * Large vacuum storage tank with safety check valve
- * Double actuation when releasing the load
- Fine dust filter to protect the vacuum pump
- Documentation

- * Special accessories included:
 - 6x ball valves to switch off individual suction cups
 - * so that smaller formats can also be lifted
 - * without having to move suction cups or traverses
 - Spiral connection cable small helix
 - * with an extension length of 3,500 mm, version as
 - * Extension cable with CEE plug and coupling
 - * is routed to the lifting device next to the load chain

Machine attributes

| | |
|--------------------------------|-----------------------|
| carrying capacity: | 500 kg. |
| number of suction cups: | 6 Stück |
| suction cup dia.: | 215 mm |
| Q: | 8.0 m ³ /h |
| tool adaptor: | Kranöse 80.0 mm |
| voltage: | 400 V |
| total power requirement: | 0.18 kW |
| weight of the machine ca.: | 120 kg |
| dimensions of the machine ca.: | 2400 x 1100 x 584 mm |

Machine images



© A + B Werkzeuge Maschinen Handels GmbH

