

GEKA HYDRACROP 50/A (1125-9412198)



Control type
konventionell

Machine no.
1125-9412198

Make
GEKA

Location
48683 Ahaus

** Current new price approx. 20.000 euros

** Special price on request

Equipment:

- Electro-hydraulic section steel shears with 4x work stations
- * Flat steel shears
- * Section steel shears
- * Hole punch
- * Notching station
- Driven by two hydraulic cylinders
- Stepless stroke adjustment
- Support table at hole punching & notching station
- Material scraper
- Side storage options
- 2x freely movable foot switches
- Various punches + dies (see image 9)
- Operating instructions (PDF)

Machine attributes

puncher:	50.0 t
square edge steel:	40.0 x 40.0 mm
round bar steel:	40.0 mm
L-beam:	120 x 120 x 10 mm
hole punching press: capacity (dia. x thick.):	Ø 28.0 x 13.0 mm
shear: flat material:	300 x 15 / 200 x 20 mm
throat:	250 mm
work stroke:	60.0 mm
work height max.:	1085 mm
total power requirement:	4.0 kW
weight:	1320 kg
range L-W-H:	1600 x 800 x 1680 mm

Machine images





© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH

