

GEKA HYDRACROP 70/S (1125-9412200)



Control type
konventionell

Machine no.
1125-9412200

Make
GEKA

Location
48683 Ahaus

** current new price approx. 25.000 euros

** special price on request

Equipment:

- electro-hydraulic profile steel shears with 4x work stations
- * flat steel shears
- * profile steel shears
- * hole punch
- * notching station
- driven by two hydraulic cylinders
- stepless stroke adjustment
- support table at hole punching & notching station
- material stripper
- side storage options
- 2x freely movable foot switches
- operating instructions (PDF)

Machine attributes

puncher:	70.0 t
square edge steel:	45.0 x 45.0 mm
round bar steel:	45.0 mm
L-beam:	150 x 150 x 13 mm
hole punching press: capacity (dia. x thick.):	Ø 27.0 x 20 mm
shear: flat material:	450 x 15 / 300 x 20 mm
throat:	300 mm
work stroke:	70.0 mm
work height max.:	1095 mm
total power requirement:	9.0 kW
weight:	1925 kg
range L-W-H:	1800 x 1200 x 2000 mm

Machine images





© Heinz Sanders GmbH

MODEL
HYD-70

MACHINE N°
5 0 1 3

KG

90° **130 x 130 x 13**

450 x 15

45

45

Ø 28 x 20

WITH SPECIAL BLADES

90° **150 x 150 x 13**

120

120

SPECIAL EQUIPMENTS

PRESS BRAKE. power 70Tn. **250 x 15**
 Maximum capacity

NOTCHING PRESS **250 x 250 x 6**
 Maximun Capacity