

GRAULE ZS 170 N (1125-8162010)



Control type
 konventionell

Machine no.
 1125-8162010

Make
 GRAULE

Location
 manufactures plant

- Cross-cut and miter saws for cross-cut cuts
- Miter adjustment on both sides (60 ° / 45 °), with fixed stop
- Shifter cut on both sides 45 °, with fixed stop
- Stable cast iron construction
- Precise linear bushing guide on the tool slide
 hardened and ground steel shafts
- manual saw feed
- Saw blade infinitely adjustable in height
- nozzle for opt. Suction

Cutting data:

- Cutting length at 90 ° = 410 mm
- Cutting height at 90 ° = 170 mm
- Cutting length at 45 ° = 290 mm
- Cutting height at 45 ° = 115 mm

**** Special accessories included:**

- Adjustment of shifter cut via hand crank, both. adjustable (45 ° / 45 °)
- HM circular saw blade 420x3.2 / 2.6x40 mm

Z = 108 FTZ neg. For aluminum and plastic

- hydraulic feed brake, infinitely adjustable

- pneumatic material clamping from above

consisting of:

- 2 vertical clamping cylinders, adjustable, with hand lever valve

- machine stand

Machine attributes

saw blade diameter:	420 x Ø 40 mm
cutting diameter:	170 mm
cutting length:	410 mm
dimensions of saw-blade:	420x3,2/2,4x40 mm
turning speeds:	3500 U/min
Dust suction hood:	100 mm
total power requirement:	3,0 kW
weight of the machine ca.:	120 kg
dimensions of the machine ca.:	1300 x 800 x 1600 mm

Machine images





