

HKS HKS 34 MG (1125-9111105)



Control type
konventionell

Construction year
1991

Machine no.
1125-9111105

Make
HKS

Location
48683 Ahaus

** Machine from a vocational training center

** in very good conditions (!!)

Features:

- Compact design with electro-hydraulic quick clamping
- Electric height adjustment
- Automatic spindle feed
- Heavy-duty / robust machine table
- Thread cutting device
- Pole-changing motor
- Continuously variable speed adjustment
- * Including analog speed display
- Machine base
- cooling system
- Emergency stop button at the front
- Original operating instructions

Machine attributes

bore capacity in steel (diameter):	38.0 mm
bore capacity in cast iron:	45.0 mm
arm length:	415 - 1050 mm
revolutions per minute:	38 - 2000 U/min
bore spindles - Morse Taper:	4 MK
feed range:	0.05 - 0.45 mm/min
quill stroke:	170 mm
table surface area:	1200 x 560 mm
T-slots:	3 x 18 x 150
work height max.:	800 mm
Height adjustment of the drill spindle:	200 - 650 mm
threading:	M 28 / M 34
voltage:	380 V
total power requirement:	1.5 / 3.0 kW
weight of the machine ca.:	1600 kg
range L-W-H:	1200 x 1600 x 1950 mm

Machine images



