

Maschinen www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

HSG GH3015 12kW (1125-2500031)



Control type CNC

Construction year 2024

Machine no. 1125-2500031

Make HSG

Location 49779 Niederlangen

CUTTING CAPACITY: STRUCTURAL STEEL 25 mm STAINLESS STEEL 15 mm ALUMINUM 12mm BRASS 8mm COPPER 8mm

MACHINE AXES: 4 axes [X, Y, Z, U]
CUTTING HEAD: Precitec ProCutter

CAD/CAM SOFTWARE: LANTEK EXPERT CUT

^{*4} servo motors for all axial movements

^{*}CNC CONTROL PANEL 15 5? touch screen

^{*}IPG laser sources and coolers integrated

^{*}Precitec Procutter cutting head system

^{*}AIR FILTER (compressed air filter)

^{*}CONVEYOR BELT under cutting area

^{*}Closed housing and specially coated filter protection windows

^{*}LOADING / DISCHARGING SYSTEM

*PROPORTIONAL GAS AND PIPE SYSTEM

Machine attributes

table length: 3000 mm table width: 1500 mm

burner heads:

Control: CNC
workpiece weight: 1500 kg
traversing speed: 200 m/min
total power requirement: 55 kW

dimensions of the machine ca.: 10050 x 4920 x 2200 mm

Machine images



