

## INDUMASCH IS 35-830 (1125-9412202)



**Control type**  
 konventionell

**Construction year**  
 1995

**Machine no.**  
 1125-9412202

**Make**  
 INDUMASCH

**Location**  
 48683 Ahaus

The IS 35 hydraulic punching machine has been specially optimized for processing sheet metal and extruded parts. It stands out for its flexibility and manufacturing precision. The machines in the IS series are equipped with 35 metric tons of punching force.

### Features:

- Electro-hydraulic punch press with long reach
- Robust C-frame construction
- \* Solid cast or welded frame (C-shape)
- \* Extremely high punching precision
- \* Compact design = small footprint
- \* Hydraulic overload protection
- Separate control unit
- Single and continuous stroke selectable
- Infinitely adjustable controller for:
  - \* â??top dead centerâ??
- Continuously adjustable control for:
  - \* â??bottom dead centerâ??
- Digital position display

- 1x freely movable foot switch
- Operating instructions (PDF)

## Machine attributes

pressure:	35.0 t
plate thickness:	max. 8.0 mm
throat:	830 mm
diameter of seal:	max. 105 mm
table::	1500 x 1200 mm
work height max.:	920 mm
Pressure power:	220 bar
oil volume:	80.0 l
total power requirement:	4.0 kW
weight of the machine ca.:	3200 kg
range L-W-H:	1600 x 1800 x 1800 mm

## Machine images





