

LISSMAC SBM-L 1500 G1S2 evo (1125-2230020)



Control type
konventionell

Construction year
2025

Machine no.
1125-2230020

Make
LISSMAC

Location
49779 Niederlangen

The SBM-L G1S2 grinding and deburring machines were developed for double-sided deburring and edge rounding of workpieces in a single operation.

LISSMAC machines are used for deburring sheet metal and processing sheet metal parts, laser parts, and stamped parts.

The L series is equipped with three units on the top and bottom .

Workpieces made of stainless steel, steel, aluminum or non-ferrous metal can be processed on the top, bottom or both sides. Processing sheet metal on both sides and rounding edges in a single operation saves up to 60% in time.

It is also possible to easily connect automation solutions or integrate the machine into production lines. The machine design ensures ergonomic working and a pleasant working environment without dirt, dust, or noise pollution.

Consisting of:

- SBM-L 1500 G1S2 evo grinding machine

- 4x SBM 1500 grinding belts with P60 Co web
- 2x SBM-L 1500 grinding belt L=4123 W=70 P80 Co
- SBM-M/L 1500 sound insulation
- LIServ 4.0 package evo
- Camera set MP
- Dry extraction DDE 3002
- Standard piping DDE 3002

** The machine is available for immediate delivery from our warehouse in Niederlangen.**

Machine attributes

| | |
|----------------------------|-----------------------|
| working width: | 1500 mm |
| workpiece width - max.: | 0,5 - 50 mm |
| dimensions: | 3300 x 1500 x 1800 mm |
| feed stepless: | 0-4 m/min |
| total power requirement: | 20,4 kW |
| weight of the machine ca.: | 2800 kg |

Machine images