Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

LVD HST-C 13/31 (1125-9325448)



Control type
NC

Construction year
2004

Machine no.
1125-9325448

Make
LVD

Location
48683 Ahaus

Features:
- Robust electro-hydraulic sheet metal shear
* Design: "Circuit-guided"
- NC electro-motorized backgauge
* with SIEMENS NC control unit "OP 7"
* Input of target and actual position values
- NC electro-hydraulic cutting angle adjustment
- Manual cutting gap adjustment, from the front via handwheel
- Recessed grips in the front support table
- Front finger guard
- 1x long side fence
- 1x long support arm
- 1x freely movable foot switch
- Original operating instructions (NL)

Machine attributes

sheet width:	3050 mm
plate thickness:	13.0 mm
thickness at "Niro-steel":	8.0 mm
cutting angle:	0.5 - 2.5 °
no. of strokes:	8 - 25 Hub/min
back stop - adjustable:	max. 1.000 mm
Control:	SIEMENS
Number of downholders:	13 Stk.
oil volume:	300 ltr.
engine output:	21.0 kW
weight:	8700 kg.
range L-W-H:	3950 x 2200 x 1900 mm

Machine images





HEINZ SANDERS
MASCHINEN
WERKZEUGE
SCHWEISSTECHNIK

Maschinen

www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH



Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

