

MAHO MH 500 (1125-9131224)



Control type
konventionell

Machine no.
1125-9131224

Make
MAHO

Location
48683 Ahaus

** from a training workshop (vocational school)

** Well maintained (!!)

Features:

- Robust electric motor universal milling machine
- HEIDENHAIN 3-axis digital display
- Rotatable universal milling head (right/left = 90°)
- Manual milling spindle feed, with lock
- Stable T-slot angle/clamping table
- * Swiveling +/- 30 degrees
- Axis feed with rapid traverse in X+Z+Y axis
- * Rapid traverse continuously adjustable
- Swiveling machine light
- Control cabinet, installed on the left
- Coolant device

Machine attributes

x-travel:	300 mm
y-travel:	350 mm
z-travel:	350 mm
taper in main spindle:	ISO 40
table surface area:	625 x 380 mm
T-slots:	8 Stk.
turning speeds:	40.0 - 2.000 U/min
transmission ratio:	18 Stk.
feed stepless:	0 - 500 mm/min
quill stroke:	60.0 mm
distance spindle nose and table:	min 50 / max 400 mm
voltage:	400 V
total power requirement:	5.1 kW
weight of the machine ca.:	800 kg
range L-W-H:	1400 x 1100 x 1700 mm

Machine images





