Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

METALLKRAFT FSBM 1020-20HSG (1125-945437)



Control type
konventionell

Construction year
NEU

Machine no.
1125-945437

Make
METALLKRAFT

Manual folding machine FSBM 1020-20 HSG / 3770103

- The workpiece is clamped using a foot pedal, so both hands remain free for material feed
- Different tool variants available E, S2, HS2 and HSG
- The strong auxiliary cylinder makes bending easier
- Wide clearance between the upper and lower beam of up to 25 mm
- Self-lubricating slide bearings
- Clamping pressure of the upper beam can be easily adjusted using handy knurled screws
- Adjustment of the material thickness by means of a knurled screw
- Adjustable stop for bending angle

Equipment details:
FSBM 1020-20 HSG
- With segmented goat foot tools, segmented bending bar and segmented bed pad

- Segments have a hardness of HRC24-26

VA steel 1.2 mm
Aluminum 2.4 mm

Machine attributes

:	Biegewinkel 150°
sheet width:	1020 mm
plate thickness:	2,0 mm
distance between columns:	-- mm
weight of the machine ca.:	0,36 t
dimensions of the machine ca.:	1,28 x 0,62 x 1,2 m

Machine images