

## Maschinen www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

## METALLKRAFT MKS 315 N Aktions-Set (1125-2160002)



Manual metal circular saw MKS 315 N Action set / Item no. 3620303SET

- two cutting speeds
- Rotatable machine head 45° to the left and 45° to the right
- Reduction gear, running quietly in an oil bath
- automatic diaphragm coolant pump with coolant filter
- Vice with counter vice, quick release and anti-burr jaws guarantees a precise and burr-free cut
- Lateral material support arm with roller
- Vice swivels 45° to the left and 45° to the right
- Movable guard ensures optimal safety when cutting
- Control handle with safety switch
- Vice with counter vice, quick release and anti-burr jaws
- Lateral material support arm with roller
- Vise can be moved longitudinally and thus for longitudinal cuts and for suitable for slots

Control type

konventionell

Construction year NEU

**Machine no.** 1125-2160002

**Make** METALLKRAFT

**Location** 49779 Niederlangen

- 0° (round) solid material 55 mm
- 0° (round) tube 90 mm
- 0° (square) tube 80 x 80 mm
- 0° (rectangular) tube 115 x 70 mm
- -45° (round) solid material 50 mm
- -45° (round) tube 80 mm
- -45° (square) tube 70 x 70 mm
- -45° (rectangular) tube 70 x 70 mm
- +45° (round) solid material 50 mm
- +45° (round) tube 80 mm
- +45° (square) tube 70 x 70 mm
- +45° (rectangular) tube 70 x 70 mm

## **Machine attributes**

saw blade diameter: 315 mm cutting diameter: 90 mm stroke: -- mm

mitre joint cuts -/+ degrees:  $-45 + 45 \, \text{Grad}$  turning speeds:  $40 \, / \, 80 \, \text{U/min}$  weight of the machine ca.:  $165 \, \text{kg}$ 

dimensions of the machine ca.:  $1,0 \times 1,15 \times 1,48 \text{ m}$ 

## **Machine images**