Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

OMAG CEL 104 (1125-9325409)



Control type
konventionell

Machine no.
1125-9325409

Make
OMAG

Location
48683 Ahaus

** From a maintenance workshop
** In good condition (!!)

Features:
- Robust electro-hydraulic sheet metal shear
- Electric motor-driven backgauge
* Backlash-free ball screw for backgauge
* Travel speed 100 mm/sec
- Electric cutting length limiter
* Cutting length limiter to increase the stroke rate per minute
- Manual cutting gap adjustment (lateral adjustment)
- Front support table with recessed grips
- Front finger/interference guard
- 1x side stop with T-slot and millimeter scale
- 2x front support arms
- 1x freely movable foot switch
- Operating instructions (PDF)

Machine attributes

sheet width:	1050 mm
plate thickness:	4.0 mm
thickness at "Niro-steel":	3.0 mm
distance between columns:	1200 mm
blade length:	1150 mm
no. of strokes:	46 - 69 Hub/min
cutting angle:	1.30 °
Control:	konv.
oil volume:	100 ltr.
total power requirement:	5.68 kW
weight:	1100 kg

Machine images





HEINZ SANDERS
MASCHINEN
WERKZEUGE
SCHWEISSTECHNIK

Maschinen

www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de













Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

