

# Maschinen www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

## **OPTIdrill DP 33V Aktions-Set (1125-7365)**



1125-7365

Machine no.

Control type konventionell

**Construction year** 

Make OPTIdrill

NEU

Column drilling machine OPTIdrill DP 33V promotion set / 3020680SET With an electronically controllable drive in a modern design

- \* Industrial engine
- \* Quiet running spindle thanks to new spindle design
- \* Machine operation with safety electronics in 24 V direct current
- \* Guaranteed concentricity = 0.02 mm in the measured drilling spindle
- \* Clockwise/counterclockwise rotation
- \* Precision spindle bore
- \* Control panel with user-friendly, dirt and water resistant
- \* Membrane keyboard
- \* RPM display
- \* Separate emergency stop button
- \* Tapping function
- \* Precisely crafted, stable drill table with diagonal T-slots with all-round cooling water channel, can be tilted sideways by  $\pm 45^\circ$  and rotated by  $360^\circ$
- \* Drilling depth stop
- \* LED machine light integrated in the drill head

- \* V-belt cover with safety switch
- \* Thick-walled steel column for high power absorption and stability
- \* Solid, large base plate with T-slots
- \* Execution of the entire machine

### Scope of delivery:

- Keyless drill chuck 0 16 mm
- T-Nuts
- -expectors
- Operating tool
- BMP 160 machine vice

## **Machine attributes**

bore capacity in steel (diameter): 30 mm throat: 270 mm bore stroke: 125 mm

Motor output: 9

speeds: 70 - 2800 U/min

## **Machine images**

#### ® Heinz Sanders GmbH



#### ® Heinz Sanders GmbH

