Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

PEGAS 340 KATANA X-CNC-LR (1125-9173406)



Control type
CNC

Construction year
2017

Machine no.
1125-9173406

Make
PEGAS

Location
48683 Ahaus

** In very good condition
** Demo machine from the manufacturer PEGAS
** With a wide range of special features
** Original price about 60.000 euros
** Special price upon request

- in checked conditions - machinevideo -
https://www.youtube.com/watch?v=dv_wXIT9BaQ


Features:
- Robust, highly efficient electro-hydraulic miter band saw
* Fully automatic (INDUSTRIAL) = with automatic material feed
* Model: Two-column band saw
* Maximum stability and vibration damping during cutting
* Powerful saw band drive with a 3.0 kW motor
- Material feed unit with ball screws
* "Longstep feed gripper" for a maximum feed length of 1.000 mm


- Includes SIEMENS PLC control unit
* Selectable semi-automatic or fully automatic cycle
* 200 programs, each with 99 programmable cut lengths and quantities
* When the remaining length is 500 mm, the machine interrupts the sawing cycle
* Protection against damage or jamming of the material
- For angles from 0° to 60°, with a ball-bearing rotary table
* Programmable CNC adjustment of the miter angle
* Right (0° to 60°) and left (0° to 45°)
* Stepless adjustment of the miter angle
* Adjustment via a robust gear train
- Saw blade guides made of carbide plates
- Saw feed infinitely adjustable via a fine-adjustment knob
- Sturdy machine bed and torsion-resistant saw frame
- Infinitely variable speed adjustment of the saw blade
- Coolant system
- Operating instructions for the machine and control system

Machine attributes

cutting diameter:	350 mm
saw band length:	4780 x 34 x 1.1 mm
capacity 90 degrees: flat:	500 x 340 mm
capacity 45 degrees: round:	+ 350 mm
capacity 45 degrees: flat:	+ 380 x 340 mm
capacity 60 degrees: round:	230 mm
capacity 60 degrees: flat:	220 x 340 mm
capacity 45 degrees: round:	- 350 mm
capacity 45 degrees: flat:	- 220 x 340 mm
coolant capacity:	ca. 100 l
band speed:	20 - 100 m/min
Control:	SIEMENS
voltage:	3x 400 V
total power requirement:	3.0 kW AC
weight:	2150 kg
range L-W-H:	3030 x 3150 x 2000 mm

Machine images





HEINZ SANDERS
MASCHINEN
WERKZEUGE
SCHWEISSTECHNIK


Maschinen

www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de














Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

