

PICOT RCS 235/30 (1125-9401286)



Control type
konventionell

Construction year
1987

Machine no.
1125-9401286

Make
PICOT

Location
Ahaus

- in checked condition - machine video -

<https://www.youtube.com/watch?v=SAxcRq3m9Pw>

Equipment:

- electro-hydraulic 3-roller round bending machine
- all rollers are driven
- analogue position display of the side rollers
- hand wheels for adjusting the parallelism
- easy adjustment of the sheet
- operation via hand lever - front
- hardened rollers SAE 1050 CK 45
- electro-hydraulic folding bearing for removing closed pipes
- electrical safety device
- central lubrication
- connection cable + connection plug

Machine attributes

sheet width:	3100 mm
plate thickness:	8.0 mm ST
pre-bending capacity:	6.0 mm ST
upper roll diameter:	230 mm
side roll diameter:	230 mm
work height max.:	ca. 840 mm
Control:	konv.
0:	400 V
total power requirement:	7.5 KW
weight:	6000 kg
range L-W-H:	4700 x 1250 x 1300 mm

Machine images





Papenburg
 Heinz Sanders GmbH
 Friederikenstraße 100
 26871 Papenburg
 info@heinz-sanders.de

Niederlangen
 Heinz Sanders GmbH
 Fresenburger Weg 4
 49779 Niederlangen
 maschinen@heinz-sanders.de

Spelle
 Heinz Sanders GmbH
 Robert-Bosch-Straße 9
 48480 Spelle
 spelle@heinz-sanders.de

