

PLACKE OPB 3 60/2050 (1125-3300080)



Control type
CNC

Construction year
2000

Machine no.
1125-3300080

Make
PLACKE

Equipment:

- DELEM DA65 CNC control
- Electric backgauge (X-axis), 600 mm
- Hydraulic upper tool clamping
- Front light barrier
- Side and rear protective grilles
- Manually adjustable stop bar, foldable (R+Z-axis)
- Upper tool
- 2x support arms
- Machine feet
- Operating instructions

Machine attributes

pressure:	60 t
chamfer lenght:	2050 mm
distance between columns:	1550 mm
throat:	255 mm
stroke:	165 mm
daylighth:	475 mm
working feed:	9,8 mm/sec
return speed:	117 mm/sec
ajustment speed:	150 mm/sec
total power requirement:	5,5 kW
weight of the machine ca.:	5000 kg
dimensions of the machine ca.:	2300 x 1500 x 2470 mm

Machine images





© Heinz Sanders GmbH

placke GmbH
Werkzeug-
Blechbearbeitungsmaschinen

Auf dem Platen 7 – 11
D - 49326 Melle
Tel.: 05422 - 45015
Fax.: 05422 - 43637
e-mail: info@placke.de
<http://www.placke.de>

Modell	QPB 3	Spannung	400 Volt
Typ	60/2050	Frequenz	50 Hz
Baujahr	2000	Stromstärke	20 A
Maschinen Nr.	039	Anschlußleistung	8 kW
Presskraft	600 kN	Betriebsdruck	300 bar
Antriebsleistung	5,5 kW	Eilgang ab	150 mm/s
Ausladung	255 mm	Arbeitsgang	9,8 mm/s
Stößelhub	165 mm	Rückzug	117 mm/s
Einbauhöhe	475 mm		
Gewicht	5 t		
Betriebsanleitung beachten !			

