

REHM RD 250 (1125-3450073)



Control type
konventionell

Construction year
unbekannt

Machine no.
1125-3450073

Make
REHM

Technical Specifications

Continuously adjustable range [A] 35-250
Duty cycle (DC) at I_{max}. (10 min) [%] 40
Welding current at 100% duty cycle [A] 170
Mains connection [V] 3/PE 400
Continuous power at 100% duty cycle [kVA] 5.5
Protection class IP 21

Included:

- Hose set
- Pressure regulator
- Ground cable
- Spool adapter

Machine attributes

length:	900 mm
weight of the machine ca.:	95 kg
dimensions of the machine ca.:	900 x 450 x 850 mm

Machine images



© Heinz Sanders GmbH

REHM		Rehm GmbH u. Co. Schweißtechnik, D-7336 Uhingen, Ottostraße 2		Made in Germany	
Typ: RD 250		Prod. - Nr. 036875		024778	
~ — ○ —▷—		IEC 974		VDE 0542	
	U ₀ = 18 - 37 V	35 A / 15,75 V - 250 A / 26,5 V	X	40 %	60 % 100 %
		I ₂ 250 A 210 A 170 A	U ₂ 26,5 V 24,5 V 22,5 V		
	U _{i1} 400V	I _{i1}	13 A	10 A	8 A
	U _{i2}	I _{i2}			
Kühlart F	S	S	kVA	kVA	kVA
cos φ 0,98		Isokl. H	IP 21		