



Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de **Spelle** Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

## RHTC PB 50 - 3 (1125-4855)



Control type konventionell

Construction year NEU

**Machine no.** 1125-4855

Make RHTC

Location 49779 Niederlangen

Exhibition machine \*\*NEW, year of construction: 2021\*\*

The PB 50-3 is a profile bending machine with manual adjustment of thetoprollervia a handwheel.


The profile bending machine can be used in vertical and horizontal working position and are equipped with three driven rollers. The change between two or three driven rollers is done simply by the side handle of the machine.

- Manual adjustment of the top roller with a handwheel
- Vertical and horizontal work possibility
- 3 driven rollers
- Supplied with a standard roller set
- Foot pedal

## Machine attributes

angular steel - leg outwards:	mm
double T-iron on the x-axis:	mm
U-iron on the x-axis:	mm
:	50 mm
:	150 mm
throat:	120 mm
total power requirement:	1,5 kW
weight of the machine ca .:	0,36 t
dimensions of the machine ca.:	1,1 x 0,8 x 1,4 m

## Machine images







Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de

## Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

**Spelle** Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

