

Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

RHTC PPC 28 (1125-7346)



Control type NC

Construction year 2021 (NEU)

Machine no. 1125-7346

Make RHTC

Location D - 49779 Niederlangen

- NC control to adjust the piston stroke
- Selector switch for manual or semi-automatic operation
- Flow control valve and pressure control valve
- Integrated pressure gauge
- Various tools can be installed on the piston inside
 There is a 40 mm hole for attaching the tools

Machine attributes

pressure: 28.0 t throat: 225 mm stroke: 150 mm table surface area: 325 x 300 mm work speed: 2.0 - 9.8 mm/sek return speed: 12.8 mm/sek total power requirement: 4.0 kW weight of the machine ca.: 650 kg

dimensions of the machine ca.: 1800 x 900 x 2000 mm

Machine images







Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

