Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

SCHECHTL MA 250/1 (1125-9355247)



Control type
konventionell

Construction year
1998

Machine no.
1125-9355247

Make
SCHECHTL

Location
48683 Ahaus

Equipment:

- Electrically operated folding machine (swivel bending machine)
- Bending angle adjustment via electrical potentiometer
- 2x used upper tool rails (pointed rail + radius rail)
- 2x used bending rails (10.0 mm + 25.0 mm)
- Manual adjustment of the lower beam
- 1x mobile foot control unit (3-pedal)
- Manual backgauge with mm scale

* Maximum travel distance: 500 mm
* Adjustment from the rear via handwheel

- 2x EMERGENCY STOP buttons (front-mounted)
- Operating manual (PDF)

Machine attributes

sheet width:	2520 mm
plate thickness:	1.50 mm ST
plate thickness:	2.50 mm ALU
thickness at "Niro-steel":	0.75 mm
bending angle max.:	180 °
bending speed:	5.5 sec / Hub
dayligth:	215 mm
upper clamping bar adjustment:	120 mm
Adjustment folding beam:	25.0 mm
engine output:	1.12 kW
weight:	1620 kg
range L-W-H:	2760 x 1050 x 1060 mm

Machine images





HEINZ SANDERS
MASCHINEN
WERKZEUGE
SCHWEISSTECHNIK

Maschinen

www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de













Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

