

/

SCHROEDER MAK II 1000 x 4.0 (1125-9355232)



Control type

NC

Construction year

2003

Machine no.

1125-9355232

Make

SCHROEDER

Location

48683 Ahaus

- in checked conditions - machinevideo -

<https://www.youtube.com/watch?v=nLT3k3VSFVs>

Equipment:

- Robust electric-driven folding machine
- With dynamic, powerful drive motors
- SCHRÖDER NC control unit "POS 400"
- * Bending angle preselection
- * Control panel, right front
- Manual backgauge, adjustable from the rear
- * Adjustment range up to max. 750 mm
- Manual lower beam adjustment
- 1x freely movable double foot switch
- 1x set of bending tools
- Emergency stop button at the front
- Original operating instructions

Machine attributes

sheet width:	1020 mm
plate thickness:	4.0 mm
distance between columns:	1100 mm
stroke of upper beam:	250 mm
Lower beam adjustment:	50.0
back stop - adjustable:	max. 750 mm
control:	POS 400
total power requirement:	4.4 kW
weight:	1960 kg
range L-W-H:	2065 x 1500 x 1425 mm

Machine images



Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

