Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

SCHRÖDER MAK II 3020 x 2,0 (1125-3350007)



Control type
konventionell

Construction year
2000

Machine no.
1125-3350007

Make
SCHRÖDER

Location
49779 Niederlangen

- Dynamic, powerful motorized swivel bending machine
- SCHRÖDER POS 500 NC control unit with LCD display
* Tool catalog with tool library
* Manual, setup and automatic operation
* Bending angle correction memory
* Collision checking of the individual axes
* quick programming of individual parts
- swiveling control panel, right front
- Electric back gauge, with sheet metal support surface
* Travel 1,000 mm
- manual lower beam adjustment
- Free-moving double foot switch
- Operation manual

Machine will be available in approx. 6-8 weeks

Machine attributes

sheet width:	3020 mm
plate thickness:	2,0 mm
distance between columns:	3000 mm
Control:	POS 500 NC
stroke:	250 mm
:	max. 135 °
adjustment:	UW 80 mm
back stop - adjustable:	1000 mm
work height max.:	975 mm
total power requirement:	6,0 kW
weight of the machine ca.:	3350 kg
dimensions of the machine ca.:	4185 x 1650 x 1425 mm

Machine images





HEINZ SANDERS
MASCHINEN
WERKZEUGE
SCHWEISSTECHNIK

Maschinen

www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de











