

SCHROEDER MHSU 4000/2.0 (1125-9325421)



Control type
NC

Machine no.
1125-9325421

Make
SCHROEDER

Location
Ahaus

- ** Good condition (!!)
- ** Current new price approx. 770,000
- ** Special price upon request

The MHSU motor-driven guillotine shear is based on a torsion-free, rigid welded construction and a dynamic, quiet, and powerful gear motor. High static and dynamic rigidity is ensured by robustly dimensioned main components such as the cutter bar, support table, side supports, and the main drive unit. The motor-driven guillotine shear was developed for sheet metal and plastics processing. With these shears, you can effortlessly produce clean cuts in series.

Features:

- NC robust, motorized swing cut guillotine shears
- with ELGO NC control unit
- * Digital position display of the backgauge
- * Adjustable from the front right
- * With target/actual value input

* Continuous adjustment across the entire travel range

* Limit switch protection

- NC motorized material/backgauge

- Shatter-proof, torsion-free welded steel construction

- Compact and clearly arranged machine design

- Support table with recessed grips

- 1x hold-down bar

- 1x side stop with T-slot and scale

- 3x front support arms

- 1x freely movable foot switch

- Operating instructions

** Optional accessories included:

- Pneumatic sheet metal holding device for thin sheet metal blanks

Machine attributes

sheet width:	4080 mm
plate thickness:	2.0 mm ST
thickness at "Niro-steel":	0.8 mm
Sheet thickness for ALU:	2.5 mm
no. of strokes:	34 Hub/min
cutting angle:	1.3 Grad
distance between columns:	4310 mm
back stop - adjustable:	15.0 - 750 mm
table height:	820 mm
Control:	ELGO
engine output:	9.0 kW
weight of the machine ca.:	3600 kg.
range L-W-H:	5250 x 2200 x 1400 mm

Machine images





