

SCHROEDER PDC 3200/3.0 (1125-9325454)



Control type
NC

Construction year
2006

Machine no.
1125-9325454

Make
SCHROEDER

Location
48683 Ahaus

** Current list price, including accessories: approx. 65,000 euros (!!)

** Special price available upon request

The PDC motorized guillotine shear is the reinforced version of the MHSU.

It offers greater performance thanks to a more robust design and a "DUO-CUT drive" on both sides.

Features:

- Robust, motorized oscillating-cut guillotine shear
- NC-controlled electric motor-driven backgauge
- * with SCHROEDER POS 100 NC control system
- * digital position display for the backgauge
- * adjustable from the front right
- * with setpoint/actual value input
- * stepless adjustment over the entire travel range
- * Limit values secured with limit switches
- * 9-program programming possible
- Break-resistant, torsion-free welded steel construction
- Compact and well-organized machine design

- All-steel blades
- 1x hold-down bar
- 1x long side stop with â??ELGOâ?? digital display
- 2x front support arms, adjustable â??Sliding Systemâ??
- Work table with recessed handles
- Rear safety guard
- 2x emergency stop buttons at the front
- 1x freely movable foot switch
- Operating instructions (PDF)

** Special accessories included:

- Sheet metal holding device for thin sheet metal blanks

Machine attributes

sheet width:	3030 mm
plate thickness:	3.00 mm
thickness at "Niro-steel":	1.50 mm
no. of strokes:	34 Hub/min
cutting angle:	1.6 Grad
table height:	820 mm
distance between columns:	3120 mm
Control:	POS 100
engine output:	2x 4.0 kW
weight of the machine ca.:	3600 kg
range L-W-H:	4329 x 2350 x 1600 mm

Machine images





