




Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

# SIEGMUND 16, PROF 750 2000x1000 - SET 3 (1125-8531696)



<sup>\*\*</sup> SIEGMUND authorized dealer - all items available! \*\*

### Product description

- high quality steel S355J2 + N + plasma nitriding
- Material thickness approx. 11.5 13 mm
- Hole Ø 16 mm
- Holes surface 50x50 mm grid
- Rounded corners, edges and holes
- Height of side wall 100 mm
- Distance between holes in side wall 25 mm
- Including scaling on the surface
- Construction reinforced by ribs
- Grid lines enable precise structures

The welding tables are provided with a scale as standard.

Special set - including tool set of 16 3

#### Plasma nitrided version:

- Protection against rust / scratches / weld spatter adhesion
- more corrosion-resistant / higher load capacity

#### Furnishing:


- 16 hole pattern / dimensions 2000 x 1000 x 100 mm
- Plasma nitrided version with scale
- Including 4x basic equipment
- incl. 16 tool set 3:
- + 8x 160610.N clamp
- + 4x 160630.N clamp
- + 4x 160645.1.N prism
- + 24x 160510 bolts
- + 4x 160410.N stop
- + 8x 160420.N stop
- + 8x 160108.N angle
- + 8x 160110.N angle
- + 2x 160162.N angle
- + 1x 160134 + 36.N bracket
- + 1x 163999 accessory set

## **Machine attributes**

table length: 2000 mm table width: 1000 mm table height (lateral area): 100 mm weight: 354 kg

# **Machine images**

A + B Werkzeuge Maschinen Handels GmbH





siegmund' siegmund'