




Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

# **SIEGMUND 16, PROFESSIONAL EXTREME 8.7 (1125-8531664)**



\*\* SIEGMUND authorized dealer - all items available! \*\*

#### Product description

- Through hardened tool steel X8.7 + plasma nitriding
- Material thickness approx. 11.5 13 mm
- Sidewall made of high quality steel S355J2 + N + plasma nitriding
- Hole Ø 16 mm
- Holes surface 50x50 mm grid
- Rounded corners, edges and holes
- Height of side wall 100 mm
- Drill holes in the side wall in a diagonal grid
- Including scaling on the surface
- Construction reinforced by ribs
- Grid lines enable precise structures

The welding tables are provided with a scale as standard.

#### Plasma nitrided version:

- Protection against rust / scratches / weld spatter adhesion
- more corrosion-resistant / higher load capacity

#### Equipment:

- 16 hole pattern / dimensions 3000 x 1500 x 100 mm
- Extreme plasma nitrided version with scale
- Sidewall with diagonal grid
- Including 8x basic equipment

### **Machine attributes**

table length: 3000 mm table width: 1500 mm table height (lateral area): 100 mm weight: 753 kg

## **Machine images**

