

## SIEGMUND - ZUBEHOER SONDER SET 96 SANDERS (1125-9489280)



**Control type**  
konventionell

**Construction year**  
NEU

**Machine no.**  
1125-9489280

**Make**  
SIEGMUND - ZUBEHOER

**Location**  
49779 Niederlangen

consisting of:

30x article no. 2-280510

Quick release pin short

- Clamping of 2 components
- burnished
- with twist lock

8x article no. 2-280410.N

Universal stop 150 L - nitrided

- nitrided
- as standard with fine scaling on both sides

4x article no. 2-280420.N

Universal stop 225 L - nitrided

- nitrided
- as standard with fine scaling on both sides

8x article no. 2-280110.G

Stop and clamping angle 175 L - cast / black oxide finish

- Hole / elongated hole
- Cast / burnished

2x article no. 2-280162.N

Stop and clamping angle 500 G - nitrided

- Left stop
- nitrided

1x article no. 2-280166.N

Stop and clamping angle 750 G left - nitrided

- Left stop
- nitrided

1x article no. 2-280167.N

Stop and clamping angle 750 G right - nitrided

- stop on the right
- nitrided

1x article no. 2-280910

Tool trolley

- painted
- Permissible total weight 240 kg

1x article no. 2-280164.N

Stop and clamping angle 500 G with turning angle left

- Left stop

1x article no. 2-280165.N

Stop and clamping angle 500 G with right angle of rotation

- stop on the right
- Cast / nitrided

4x article no. 2-280152.N

Stop and clamping angle 300 G - nitrided

- Left stop

- nitrided

8x article no. 2-280651.1.

Prism Ø 60 135 ° with screwed-in collar - aluminum

- aluminum

- M16 thread for e.g. B. Prism Extension Item No. 280649

16x article no. 2-280610.N

Professional screw clamp - nitrided

- nitrided

6x article no. 2-280630.N

Professional screw clamp 45 ° / 90 ° - nitrided

- nitrided

4x article no. 2-280426.N

Universal stop 300 - nitrided

- 3 system holes

- nitrided

## Machine attributes

|   |       |
|---|-------|
| : | 0,6 t |
| : | -- mm |
| : | -- mm |

## Machine images

