

TOSKAR EASYFAB-1550-40 (1125-9308472)



Control type
CNC

Construction year
2016

Machine no.
1125-9308472

Make
TOSKAR

Location
48683 Ahaus

- in checked conditions - machinevideo -
https://www.youtube.com/watch?v=bpiHgZ_jhIc

Equipment:

- CNC electro-hydraulic press brake
- CNC CYBELEC control unit "CYBTOUCH 12"
- * Large touchscreen
- * Hand-drawn drawing via Touch Profile function
- * High-resolution screen
- * Clear, easy-to-read menus in the operator's language
- * Tool & product library
- * USB port for memory sticks
- * Front left control panel, pivoting
- CNC-controlled axes: Y1 + Y2 + X + R axes
- CNC electro-motorized backgauge (X axis)
- CNC electro-motorized height adjustment (R axis)
- 2 manually adjustable stop fingers
- AMADA/PROMECAM upper tool holder

- AMADA/PROMECAM lower tool holder
- 2 stable front material/sheet support arms
- 1 freely movable foot switch
- Side guards (2 pivoting doors)
- Rear guards (light barrier)

Machine attributes

pressure:	40.0 t
chamfer lenght:	1550 mm
distance between columns:	1250 mm
column arm:	295 mm
stroke:	ca. 120 mm
daylighth:	ca. 355 mm
table height:	775 mm
working feed:	8.0 mm/sec
return speed:	100.0 mm/sec
Control:	CYBTOUCH 12
oil volume:	100 ltr.
total power requirement:	5.5 kW
weight:	3250 kg
range L-W-H:	2.8 x 1.7 / 2.0 x 2.1 m

Machine images





SANDERS

HEINZ

MASCHINEN
WERKZEUGE
SCHWEISSTECHNIK

Maschinen

www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

© Heinz Sanders GmbH

			
HIDROLİK ABKANT PRES / HYDRAULIC PRESS BRAKE			
TİPİ MODEL	EASYFAP-1550-40		
İMAL YILI / PRODUCTION YEAR	2016		
SERİ NO / SERIAL NO	7527		
KAPASİTE / CAPACITY	40	TON	
MOTOR GÜCÜ / MOTOR POWER	5.5	KW	
VOLTAJ / VOLTAGE	380	V	
TEPKİ VERME SÜRESİ / REACTION TIME	0.05	s	
İP	5.4		
YAĞ KAPASİTESİ / OIL CAPACITY	200	lt	
GENİRLİK / WIDTH	2000	mm	
UZUNLUK / LENGTH	2125	mm	
YÜKSEKLİK / HEIGHT	2000	mm	
AĞIRLIK / WEIGHT	2250	kg	
TOSKAR MAKİNA YEDEK PARÇA İMALAT. TİC. VE SAN. LTD.ŞTİ. Bursa Organize Sanayi Bölgesi Yeşil Cad. 8. Sk. No:9 Nilüfer / BURSA Tel.: +90 224 384 11 32 (pbx) Fax: +90 224 384 11 33 web: www.toskar.com e-mail: toskarltd@toskar.com			

ELEKTRİK BİLGİ ETİKETİ / ELECTRICAL INFORMATION		
AKIM TÜRÜ / TYPE OF CURRENT	220	
FREKANS / FREQUENCY	50	Hz
İŞLETME GERİLİMİ / MACHINE POWER	220	VOLT
KUMANDA GERİLİMİ / CONTROL PANEL POWER	220	VOLT DC
NOMİNAL AKIM / AMPERAGE	22	A
ANA SİGORTANIN NOMİNAL AKIMI / PEAK AMPERAGE	25	A
E-ŞALTER PLANI NR. / CIRCUIT DRAWING CABLE	22	A
ENERJİ GİRİŞ KABLOŞU / MAIN POWER CABLE	2.5	mm ²
MIN. DİRENÇ İZALASYONU / MIN. POWER ISALATION	1	MΩ
TEST GERİLİMİ / TEST POWER	220	VOLT
		
Makine San. ve Tic. Ltd. Şti.		