

## UNICRAFT PG-E 60 SEA (1125-6706060)

© Heinz Sanders GmbH



**Control type**  
konventionell

**Construction year**  
NEU

**Machine no.**  
1125-6706060

**Make**  
UNICRAFT

**Location**  
49779 Niederlangen

Synchronous power generator PG-E 60 SEA / 6706060

Drive SC188F

Power factor 1.0 cos

Starter manual start / electric start

Fuel: Gas

Capacity tank 25 l

Sound pressure level Lp 76 dB(A)

Sound power level Lw 97 dB(A)

Type synchronous

Nominal voltage 230 V

Apparent power at LTP 5.5 kVA

Active power at LTP 5.5 kW

Apparent power at COP 5.0 kVA

Active power at COP 5.0 kW

Protection class generator IP 23

Socket design 2 x 230 V, Schuko / 1 x 230 V, 32 A

Protection class sockets IP 44

\* All alternators with copper windings

- \* Short-term power up to 3 times the rated power
- \* Automatic voltage regulation AVR provides constant output voltage and enables the operation of sensitive devices
- \* Overload protection by thermal circuit breaker
- \* Low oil shutdown with warning lamp
- \* 3 in 1 display for voltage, frequency and operating hours
- \* Long running time due to large tank
- \* Tank with level indicator
- \* Connections ergonomically favorable at the front
- \* Easy transport thanks to the wheel set and stable folding handles

## Machine attributes

rated capacity:	5,5 kVA
capacity in kVA:	5,0 kVA
Heating capacity:	--
power fuel:	Benzin
weight of the machine ca.:	90,5 kg
dimensions of the machine ca.:	700x526x580 mm

## Machine images