

# Maschinen www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

## **UNICRAFT SSK 3.1 (1125-8809015)**



Control type konventionell

**Machine no.** 1125-8809015

Make UNICRAFT

#### Furnishing:

- Very large front flap that opens upwards
- Suitable for various blasting materials
- \* e.g. quartz, glass ball, plastic ball, etc.
- With gas pressure springs for quick and easy loading and unloading
- Integrated suction system with exchangeable air filter
- Jet gun without a finger trigger
- \* The air flow is controlled by a foot pedal
- Two fluorescent tubes (230 volts)
- \* in a separate housing with protective screen and exchangeable protective film
- Light switch with double function: suction and cabin lighting
- \* are switched on and off at the same time
- \* Regulation of the working pressure via pressure regulator with manometer
- Jet head (grain size 0.125 0.42 mm can be used)
- Container for blasting material
- dust extraction
- foot switch
- Operating instructions in German

#### Scope of delivery:

- High quality jet gun with ceramic nozzle
- 4 ceramic nozzles (6/6/7/7 mm)
- 5 replacement foils for viewing windows

### **Machine attributes**

dimensions:: innen 1160 x 580 x 580 mm

Air consumption: 400 - 800 l/min.
air pressure: 3,4 - 8,0 bar
workpiece weight: max. 120 kg
total power requirement: 1,2 kW
weight: 115 kg

range L-W-H: 1225 x 935 x 1640 mm

## **Machine images**







