

WEILER COMMODOR (1125-9207345)



Control type
konventionell

Machine no.
1125-9207345

Make
WEILER

Location
Ahaus

- ** Basic functions are available
- ** Machine with various leaks
- ** Sold in current condition at a special price !

Lathe with precision ground and induction hardened bed.
Very suitable, for example, for use in workshops and teaching facilities.

- machine video -
<https://www.youtube.com/watch?v=zCGu4i6V5dM>

Furnishing:

- robust lead and pull spindle lathe
- FORKARDT 3-jaw chuck Ø 200 mm, with chuck key
- MULTIFIX steel holder - size B - with 3x inserts
- movable tailstock, including keyless chuck
- Chip protection back wall
- EMERGENCY stop button at the front
- adjustable bed stop
- Coolant system including coolant pan


- User manual (PDF)

Machine attributes


turning length:	1000 mm
turning diameter over bed:	380 mm
turning diameter over slide rest:	190 mm
number of spindle speeds:	25 - 2000 U/min.
turning speeds:	18 Stk.
spindle bore:	Ø 56,0 mm
tailstock quill taper MT:	DIN 228 / MK 4
quill stroke:	150 mm
bed width:	310 mm
spindle taper:	DIN 55027 / 6
feeds - longitudinal:	0,022 - 0,8 mm/U
feeds - cross:	0,011 - 0,4 mm/U
thread:	M 0,3 - 10,0 mm
voltage:	380 V
total power requirement:	7,5 kW
weight of the machine ca.:	1600 kg

Machine images





© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

