

WEILER PRAKTIKANT 800 R (1125-9207367)



Control type
konventionell

Machine no.
1125-9207367

Make
WEILER

Location
Ahaus

Due to its design (type, performance, feed rates, etc.) it can be used successfully in training workshops, but also for toolmaking and repair shops.

Equipment:

- robust conventional lead/spindle lathe
- WMW 3-jaw chuck Ø 150 mm
- faceplate 280 mm
- MULTIFIX quick-change holder, with insert
- movable tailstock
- chuck key
- machine base with storage area
- pole-changing drive motor
- operating instructions

Machine attributes

turning length:	800 mm
turning diameter:	280 mm
turning diameter over slide rest:	150 mm
spindle bore:	42.0 mm
tailstock quill taper MT:	3 MK
bed width:	208 mm
turning speeds:	42 - 2022 U/min
spindle taper:	DIN 55027/5
quill stroke:	90.0 mm
voltage:	380 V
total power requirement:	3.0 kW
weight of the machine ca.:	750 kg
range L-W-H:	1800 x 800 x 1250 mm

Machine images




© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



