

ZMM / HUVEMA HU 310 VAC (1125-9207305)



Control type
konventionell

Construction year
2004

Machine no.
1125-9207305

Make
ZMM / HUVEMA

Location
Ahaus

** New price ~ 23.000 euros
** from a training workshop (!!)

Furnishing:

- Spindle speed continuously adjustable in 2x switching stages
- "TOS" 3-jaw lathe chuck Ø 160 mm, with spare jaws & chuck key
- "NEWALL" digital display, front left
- MULTIFIX steel holder with inserts
- Movable tailstock
- live center, incl. quick-action drill chuck
- digital speed display
- Change gears
- Foot/spindle brake

* all technical data:

- Turning diameter over bed 310 mm
- Distance between centers 750 mm

- Spindle bore 32 mm
- Turning diameter over cross slide 175 mm
- bed width 200 mm
- Spindle mount / DIN55027 5
- Spindle taper 4.5 M
- Spindle speed infinitely variable in switching stages 2
- Spindle speed stepless 85-405; 470-2200 rpm
- Number of feeds 48
- Metric thread range 0.1 - 28 mm
- Thread module range 0.1 - 1.75
- Thread DP range 4 - 70
- Adjustment range cross slide 150 mm
- Adjustment range top slide 95 mm
- Tailstock quill diameter 40 mm
- Tailstock recording 3 MK
- Tailstock quill travel 100 mm
- Motor power 2.2 kW
- Weight 710 kg

Machine attributes

turning length:	750 mm
turning diameter:	310 mm
turning diameter over slide rest:	175 mm
spindle bore:	32,0 mm
tailstock quill taper MT:	3 MK
turning speeds:	85 - 2200 U/min
bed width:	200 mm
total power requirement:	2.2 kW
weight of the machine ca.:	710 kg
range L-W-H:	1884 x 717 x 1262 mm

Machine images





